



#6 1732
10-21-02
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to Commissioner of Patents and Trademarks, Washington, D.C. 20231 on October 11, 2002.

Anita Johnson
Anita Johnson

Applicant : Karl Josephy, et al.
Application No. : 09/849,512
Filed : May 4, 2001
Title : PROCESS FOR MAKING ANGSTROM SCALE AND
HIGH ASPECT FUNCTIONAL PLATELETS
Grp./Div. : 1732
Examiner : M. Vargot
Docket No. : 42329/WGM/A23

RECEIVED
OCT 21 2002
TO ITCS MAIL ROOM

INFORMATION DISCLOSURE STATEMENT AND
CERTIFICATION UNDER § 1.97(e)(1)

Assistant Commissioner for Patents
Washington, D.C. 20231

Post Office Box 7068
Pasadena, CA 91109-7068
October 11, 2002

Commissioner:

In compliance with the duty of disclosure under 37 CFR §§ 1.56, 1.97 and 1.98, and in accordance with the provisions in the Manual of Patent Examining Procedure §§ 609 and 707.05(b), enclosed is FORM PTO/SB/08A/B with a listing of references that are known to applicant. Copies of each of the listed references are enclosed.

It is respectfully requested that these references be considered in the examination of this application and identified on the list of references cited on the patent issuing on this application. Applicant also requests that an initialed copy of said FORM PTO/SB/08A/B be entered in the application file and returned to applicant with the next communication from the Office in accordance with MPEP § 609.

Applicant's undersigned attorney hereby certifies, in accordance with 37 CFR § 1.97(e)(1), that each item of information contained in the information disclosure statement was first cited

Application No.09/849,512

in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement.

Respectfully submitted,

CHRISTIE, PARKER & HALE, LLP

By Walter G. Maxwell
Walter G. Maxwell
Reg. No. 25,355
626/795-9900

WGM/agj

Enclosures: PTO/SB/08A/B, w/references

AGJ PAS466470.1-* -10/11/02 11:53 AM